


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
A	CH'D -9 CUTOUT TO A RECESSED POCKET FOR -11 PLACARD PER RW.	4/25/11	RJC	




ASSY QTY	ASSY QTY	B/O	PART #	UNIT QTY	DESCRIPTION	MATERIAL	B/O INFORMATION OR SPECIFICATIONS	Pg.
			-1	1	EXTRACTOR		RBW6405G06031-3G	1
			-3	1	REACTION ASSY.		RBW6405G06131-3G	1
		B/O	-5	1	CASE	PLASTIC	6 x 11-5/8 x 13-3/8 PELICAN #APP-1400-E BLACK	N/S
		B/O	-7	1	BOTTOM FOAM	Y20 BLACK	4x 8-3/4 x 11-13/16 I.R. SPECIALTY FOAM	2
		B/O	-9	1	LID FOAM	EGGSHELL BLACK	1.20 x 9.20 x 12.10 I.R. SPECIALTY FOAM	3
		B/O	-11	1	INSIDE PLACARD	PLASTIC	1/16 x 3-1/2 x 6 MCKENZIE LASER	4
ASSY	-3							

RED BARN MACHINE	
TITLE	
T/R HEAD REMOVAL TOOL	
DWG NO.	REV
RBW6405G01831-3G	A
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
TOLERANCES ON:	
DECIMALS	
.XXX ± .005	FRACTIONS ± 1/32
.XX ± .01	ANGLES ± 5°
.X ± .1	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE	DATE
NTS	3-19-10
SHEET	1 of 4

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL




7
BOTTOM FOAM

RED BARN MACHINE	
TITLE T/R HEAD REMOVAL TOOL	
DWG NO. RBW6405G01831-3G-7	REV A
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	DRAWN BY: CLOUGH
TOLERANCES ON:	APPROVED <i>D. Weil</i>
DECIMALS .XXX ± .005	HEAT
FRACTIONS ± 1/32	TREAT
.XX ± .01	FINISH
.X ± .1	SPEC
ANGLES ± .5°	USED ON MODEL
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW139
SCALE NTS	DATE 3-19-10
SHEET 2 of 4	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
A	CH'D -9 CUTOUT TO A RECESSED POCKET FOR -11 PLACARD PER RW.	4/25/11	RJC	



RED BARN MACHINE	
TITLE T/R HEAD REMOVAL TOOL	
DWG NO. RBW6405G01831-3G-9	REV A
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	DRAWN BY: CLOUGH
TOLERANCES ON:	APPROVED <i>D. Weil</i>
DECIMALS	HEAT
.XXX ± .005	TREAT
.XX ± .01	FINISH
.X ± .1	SPEC
ANGLES ± .5°	
UNLESS OTHERWISE SPECIFIED	USED ON MODEL
1. BREAK ALL SHARP EDGES	AW139
.015 x 45° PR .015 R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE NTS	DATE 3-19-10
	SHEET 3 of 4

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL



Ⓜ11
INSIDE PLACARD

RB RED BARN MACHINE			
TITLE T/R HEAD REMOVAL TOOL			
DWG NO. RBW6405G01831-3G-11			REV A
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		DRAWN BY: CLOUGH	
TOLERANCES ON:		APPROVED <i>D. Weil</i>	
DECIMALS		HEAT	
.XXX ± .005		TREAT	
.XX ± .01		FINISH	
.X ± .1		SPEC	
FRACTIONS ± 1/32		USED ON MODEL	
ANGLES ± 5°		AW139	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR. 015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		SCALE NTS	
DATE 3-19-10		SHEET 4 of 4	